

## NF-κB p105/p50 (Phospho-Ser893) Antibody Blocking Peptide

Catalog Number: 51018

**Amount:** 100μg/100μl

Form of Peptide: Peptide in 10 mM phosphate buffered saline (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150mM NaCl,

0.1 mM EDTA, 1 mg/ml BSA, 5% DMF and 5% glycerol.

Peptide Information: The synthesized phosphopeptide was derived from human NF-кВ p105/p50 around the

phosphorylation site of serine 893 (A-S-S<sup>P</sup>-P-V).

Storage: Store at -20°C.

**Quality Control:** The quality of the peptide was evaluated by reversed-phase HPLC and mass spectrometry.

Specificity: The peptide specifically blocks the signal of NF-кВ p105/p50 (phospho-Ser893) antibody

(#11018) completely in IHC.

Applications: For Western blotting:add 10 µl of antibody and 10 µl of blocking peptide to 10 ml of antibody


dilution buffer, and incubate at 4°C over night or at room temperature for 2 hours before

allowing to react with the blot.

References: Hou S, et al. (2003) J Biol Chem. 278(46): 45994-45998.

Baeuerle PA, et al. (1994) Annu Rev Immunol. 12:141-179.

Baeuerle P A, et al. (1996) Cell 87:13-20. Haskill S, et al. (1991) Cell 65:1281-1289.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using NF-kB p105/p50 (phospho-Ser893) antibody (#11018).