# β-actin Mouse Monoclonal Antibody

Catalog No: #38074

Package Size: #38074-1 50ul #38074-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Des | Ori | ntı | $\alpha$ n |
|-----|-----|-----|------------|
|     |     |     | OH         |
|     |     | ν.  | • • •      |


|                    | ·   |
|--------------------|---|
| Product Name       | β-actin Mouse Monoclonal Antibody   |
| Host Species       | Mouse   |
| Clonality          | Monoclonal  |
| Clone No.          | 5B7   |
| Purification       | Affinity purification using immunogen.  |
| Applications       | WB IHC IF   |
| Species Reactivity | Hu Rt Ms Mk Dg Chk Hm Rb Pg Sh  |
| Specificity        | Antibody detects endogenous β-actin protein.  |
| Target Name        | β-actin   |
| Other Names        | ACTB; BRWS1; PS1TP5BP1  |
| Accession No.      | Swiss-Prot#:P60709  |
| SDS-PAGE MW        | 45kd  |
| Concentration      | 1.0mg/ml  |
| Formulation        | Mouse IgG1 in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium |
|                    | azide and 50% glycerol.   |
| Storage            | Store at -20°C  |
|                    |   |

## **Application Details**


Western blotting: 1:5000~1:10000

Immunohistochemistry: 1:200

## **Images**



Western blot analysis of 1) 293T ,2) Mouse Kidney tissue, 3) Hela, 4) Rat Heart tissue, 5) Rat Brain tissue, using #38074 diluted at 1:5,000.



IHC staining of Human ovary tissue with  $\beta$ -Actin mouse mAb(5B7) diluted at 1:200.

# Background

 $\beta$ -actin is one of six different actin isoforms that have been identified. The actin molecules found in cells of various species and tissues tend to be very similar in their immunological and physical properties. Therefore, antibodies against  $\beta$ -actin are useful as loading controls for Western Blotting. However it should be noted that levels of  $\beta$ -actin may not be stable in certain cells. For example, expression of  $\beta$ -actin in adipose tissue is very low and therefore  $\beta$ -actin should not be used as loading control for these tissues.

## **Published Papers**

el at., Gut-Flora-Dependent Metabolite Trimethylamine-N-Oxide Promotes Atherosclerosis-Associated Inflammation Responses by Indirect ROS Stimulation and Signaling Involving AMPK and SIRT1. In Nutrients on 2022 Aug 15 by Sa Zhou, Jiamin Xue, et al..PMID:36014845, , (2022)

PMID:36014845

Note: This product is for in vitro research use only and is not intended for use in humans or animals.