## SRF (Phospho-Ser77) Antibody

Catalog No: #12151

Package Size: #12151-1 50ul #12151-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


| _ |       | 2.0   |
|---|-------|-------|
|   | Accri | ntion |
| - | escri | UUUII |
|   |       |       |

| Product Name          | SRF (Phospho-Ser77) Antibody  |
|-----------------------|---|
| Host Species          | Rabbit  |
| Clonality             | Polyclonal  |
| Purification          | Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates.        |
|                       | Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho  |
|                       | specific antibodies were removed by chromatogramphy using non-phosphopeptide.                           |
| Applications          | WB IHC  |
| Species Reactivity    | Hu Ms   |
| Specificity           | The antibody detects endogenous levels of SRF only when phosphorylated at serine 77.                    |
| Immunogen Type        | peptide   |
| Immunogen Description | Peptide sequence around phosphorylation site of serine 77 (L-Y-S(p)-G-S) derived from Human SRF.        |
| Target Name           | SRF   |
| Modification          | Phospho   |
| Other Names           | serum response factor   |
| Accession No.         | Swiss-Prot#:P11831;NCBI Gene#:6722  |
| SDS-PAGE MW           | 52kd  |
| Concentration         | 1.0mg/ml  |
| Formulation           | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide |
|                       | and 50% glycerol.   |
| Storage               | Store at -20°C  |
|                       |   |


## **Application Details**

Western blotting: 1:500~1:3000
Immunohistochemistry: 1:50~1:100

## **Images**



Western blot analysis of extracts from Jurkat cells, treated with PMA (125ng/ml, 30mins), using SRF (Phospho-Ser77) antibody #12151. The lane on the right is treated with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue using SRF (Phospho-Ser77) antibody #12151. The picture on the right is treated with the synthesized peptide.

## Background

SRF is a transcription factor that binds to the serum response element (SRE), a short sequence of dyad symmetry located 300 bp to the 5' of the site of transcription initiation of some genes (such as FOS). Required for cardiac differentiation and maturation.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.