

PIK3CA antibody

Catalog No: #38118

Package Size: #38118-1 50ul #38118-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	PIK3CA antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were purified by affinity purification using immunogen.
Applications	WB,IHC,IF
Species Reactivity	Human,Mouse,Rat
Specificity	The antibody detects endogenous level of total PIK3CA protein.
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human PIK3CA.
Target Name	PIK3CA
Other Names	PIK3CA;MGC142161;MGC142163;PI3K;p110-alpha;
Accession No.	Swiss-Prot#: P42336NCBI Gene ID: 5290
SDS-PAGE MW	110kDa
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C


Application Details

WB □ 1:500 - 1:2000


IHC □ 1:50 - 1:100

IF □ 1:50 - 1:100


Images




Immunohistochemistry of paraffin-embedded rat kidney using PIK3CA antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded human colon carcinoma using PIK3CA antibody at dilution of 1:100 (40x lens).




Immunohistochemistry of paraffin-embedded mouse kidney using PIK3CA antibody at dilution of 1:100 (40x lens).



Immunofluorescence analysis of HeLa cells using PIK3CA antibody at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of NIH/3T3 cells using PIK3CA antibody at dilution of 1:100. Blue: DAPI for nuclear staining.



Western blot analysis of extracts of HeLa cells, using PIK3CA antibody at 1:500 dilution.

Background

PIK3CA belongs to the PI3/PI4-kinase family. It phosphorylates PtdIns, PtdIns4P and PtdIns(4,5)P2 with a preference for PtdIns(4,5)P2. Defects in PIK3CA are associated with colorectal cancer (CRC). Defects in PIK3CA are associated with breast cancer. Defects in PIK3CA are associated with ovarian cancer. Defects in PIK3CA may underlie hepatocellular carcinoma (HCC). Defects in PIK3CA are a cause of keratosis seborrheic (KERSEB). The antibody is specific to PIK3CA.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.