

PRDX3 antibody

Catalog No: #38567

Package Size: #38567-1 50ul #38567-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

| | |
|-----------------------|---|
| Product Name | PRDX3 antibody |
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Purification | Affinity purification |
| Applications | WB,IF |
| Species Reactivity | Human,Mouse,Rat |
| Specificity | The antibody detects endogenous level of total PRDX3 protein. |
| Immunogen Type | Peptide |
| Immunogen Description | Recombinant fusion protein containing a sequence of PRDX3. |
| Target Name | PRDX3 |
| Other Names | AOP1; MER5; AOP-1; SP-22; HBC189; PRO1748; prx-III; |
| Accession No. | Swiss-Prot#: P30048NCBI Gene ID: 10935 |
| SDS-PAGE MW | 28kd |
| Concentration | 1.0mg/ml |
| Formulation | PBS with 0.01% thimerosal,50% glycerol,pH7.3. |
| Storage | Store at -20°C. Avoid freeze / thaw cycles. |


Application Details

Western blotting: □1:500 - 1:2000


Immunohistochemistry: □1:50 - 1:200

Immunofluorescence: □1:50 - 1:200


Images



Immunofluorescence analysis of NIH-3T3 cells using PRDX3 Polyclonal antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of U-2 OS cells using PRDX3 Polyclonal antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Western blot analysis of extracts of various cell lines, using PRDX3 antibody at 1:3000 dilution.

Background

This gene encodes a protein with antioxidant function and is localized in the mitochondrion. This gene shows significant nucleotide sequence similarity to the gene coding for the C22 subunit of *Salmonella typhimurium* alkylhydroperoxide reductase. Expression of this gene product in *E. coli* deficient in the C22-subunit gene rescued resistance of the bacteria to alkylhydroperoxide. The human and mouse genes are highly conserved, and they map to the regions syntenic between mouse and human chromosomes. Sequence comparisons with recently cloned mammalian homologues suggest that these genes consist of a family that is responsible for regulation of cellular proliferation, differentiation, and antioxidant functions. Two transcript variants encoding two different isoforms have been found for this gene.

Published Papers

et al., DDAH1 Protects against Cardiotoxin-Induced Muscle Injury and Regeneration In Antioxidants (Basel) On 2023 Sep 13 by Fei Feng , Bingqing Cui et al. PMID:37760057 , (2023)

[PMID:37760057](https://pubmed.ncbi.nlm.nih.gov/37760057/)

et al., The effect of exposure time and concentration of airborne PM2.5 on lung injury in mice: A transcriptome analysis. In Redox Biol on 2019 Sep by Wang H, Shen X et al. PMID:31279222 , (2019)

[PMID:31279222](https://pubmed.ncbi.nlm.nih.gov/31279222/)

Note: This product is for in vitro research use only and is not intended for use in humans or animals.