VSV-G-tag Antibody

Catalog No: #48120

Package Size: #48120-1 50ul #48120-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

Product Name	VSV-G-tag Antibody	
Host Species	Mouse	
Clonality	Monoclonal	
Clone No.	E0-G7	
Purification	ProA affinity purified	
Applications	WB, IP	
Immunogen Description	peptide	
Other Names	Vesicular stomatitis virus glycoprotein tag antibody VSV epitope tag antibody VSV tag antibody VSV-G epitope tag antibody VSVG antibody vsvg tag antibody	
Accession No.	Swiss-Prot#:	
Formulation	1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.	
Storage	Store at -20°C	

Application Details

WB: 1:1,000-5,000

Images

	kDa
	-40
-	-35
	-25

Western blot analysis on recombinant VSV-G-tag protein using anti-VSV-G-tag Mouse mAb.

Background

Vesicular Stomatitis Virus (VSV) is an arbovirus in the family Rhabdoviridae, order Mononegavirales. VSV infects insects and mammals. The genome of VSV is a negative-sense RNA strand that encodes five major proteins: glycoprotein (G), matrix protein (M), nucleoprotein (NC), large protein (L) and phosphoprotein. The L protein and the phosphoprotein combine to catalyze the replication of VSV β s mRNA. After endocytosis, the G protein facilitates VSV β s entry into the cell by controlling virus attachment to the host cell as well as fusion of the viral envelope with the endosomal membrane. Transport of the G protein from the endoplasmic reticulum (ER) to the plasma membrane (PM) is temperature sensitive. Because of this property, VSV is commonly used in research labs to study the properties of viruses in the Rhabdoviridae family, and to study viral evolution.

References

1. Niemel EH et al. Global analysis of the nuclear processing of transcripts with unspliced U12-type introns by the exosome. Nucleic Acids Res 42:7358-69 (2014). 2. J ger W et al. Ultrasound-guided intramural inoculation of orthotopic bladder cancer xenografts: a novel high-precision approach. PLoS One 8:e59536 (2013).

Note: This product is for in vitro research use only and is not intended for use in humans or animals.