V5 tag Rabbit mAb

Catalog No: #48731

Package Size: #48731-1 50ul #48731-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


_		4.5
	escri	ntion
$\boldsymbol{\nu}$	COUL	puon

Product Name	V5 tag Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal antibody
Clone No.	SY30-01
Purification	ProA affinity purified
Applications	WB
Immunogen Description	recombinant protein
Other Names	GKPIPNPLLGLDST epitope tag antibody GKPIPNPLLGLDST tag antibody Protein Rev antibody Regulator of
	expression of viral proteins antibody rev antibody V5 epitope tag antibody
Accession No.	Swiss-Prot#:
Formulation	1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.
Storage	Store at -20°C

Application Details

WB: 1:1,000-5,000ICC: 1:100-1:500FC: 1:50-1:100

Images



Western blot analysis of V5 tag on V5-tagged recombinant protein lysates using anti-V5 tag antibody at 1/1,000 dilution.

Background

The V5 epitope tag is derived from a small epitope (Pk) present on the P and V proteins of the paramyxovirus of simian virus 5 (SV5). The anti-V5 antibody detects recombinant proteins containing the 14 amino acid GKPIPNPLLGLDST sequence.

References

1. Tatenhorst L et al. Fasudil attenuates aggregation of a-synuclein in models of Parkinson's disease. Acta Neuropathol Commun 4:39 (2016). 2. Ji H et al. EGFR phosphorylates FAM129B to promote Ras activation. Proc Natl Acad Sci U S A 113:644-9 (2016).

Note: This product is for in vitro research use only and is not intended for use in humans or animals.			