

YAP65 Conjugated Antibody

Catalog No: #C48351



Package Size: #C48351-AF350 100ul #C48351-AF405 100ul #C48351-AF488 100ul #C48351-AF555 100ul #C48351-AF594 100ul #C48351-AF647 100ul #C48351-AF680 100ul #C48351-AF750 100ul #C48351-Biotin 100ul #C48351-Conjugated 50ul

Orders: order@signalwayantibody.com
Support: tech@signalwayantibody.com

Description

Product Name	YAP65 Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Applications	WB, IF
Species Reactivity	Hu, Ms, Rt
Immunogen Description	Amino acids 206-330 mapping near the C-terminus of YAP of human origin.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	65 kDa Yes associated protein antibody 65 kDa Yes-associated protein antibody COB1 antibody YAP 1 antibody YAP 65 antibody YAP antibody YAP1 antibody YAP1_HUMAN antibody YAP2 antibody YAP65 antibody yes -associated protein delta antibody Yes associated protein 1 65kDa antibody Yes associated protein 1 antibody Yes associated protein 2 antibody yes associated protein beta antibody YKI antibody Yorkie homolog antibody
Accession No.	Swiss-Prot#:P46937
Calculated MW	65kDa
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

WB: 1:50-1:200

IF: 1:50-1:200

Background

The Yes-associated protein, otherwise known as YAP, is a 14-3-3-binding molecule that was originally recognized by virtue of its ability to bind to the SH3 domain of Yes. The binding of YAP to 14-3-3 requires the phosphorylation of a homologous serine residue (Ser 112) in the YAP 14-3-3-binding motif. The highly conserved and ubiquitously expressed 14-3-3 proteins regulate differentiation, cell cycle progression and apoptosis by binding intracellular phosphoproteins involved in signal transduction. YAP may link events at the plasma membrane and cytoskeleton to inhibition of transcription in the nucleus in a manner regulated by 14-3-3 proteins. YAP shares homology with the WW domain of TAZ, transcriptional co-activator with PDZ-binding motif, which functions as a transcriptional co-activator by binding to the PPXY motif present in transcription factors. YAP is expressed at high levels in the lung, placenta, prostate, ovary and testis.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.