

MED17 Polyclonal Antibody

Catalog No: #31626

Package Size: #31626-1 50ul #31626-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


Description

Product Name	MED17 Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	WB
Species Reactivity	Human,Mouse,Rat
Immunogen Description	Recombinant fusion protein of human MED17 (NP_004259.3).
Other Names	MED17;CRSP6;CRSP77;DRIP80;TRAP80;SRB4
Accession No.	Uniprot:Q9NVC6GeneID:9440
Calculated MW	80kDa
SDS-PAGE MW	80KDa
Formulation	PBS with 0.02% sodium azide,50% glycerol,pH7.3.
Storage	Store at -20°C. Avoid freeze / thaw cycles.

Application Details


WB □ 1:500 - 1:2000

Images



Western blot analysis of extracts of various cell lines, using MED17 antibody.

Western blot analysis of extracts of various cell lines, using MED17 antibody.



Background

The activation of gene transcription is a multistep process that is triggered by factors that recognize transcriptional enhancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1. This protein is also a component of other multisubunit complexes e.g. thyroid hormone receptor-(TR-) associated proteins which interact with TR and facilitate TR function on DNA templates in conjunction with initiation factors and cofactors.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.