IL-12B p40 Polyclonal Antibody

Catalog No: #46781

Package Size: #46781-1 50ul #46781-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


Description

| Product Name | IL-12B p40 Polyclonal Antibody |
|-----------------------|---|
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Applications | WB IHC |
| Species Reactivity | Hu |
| Specificity | The antibody detects endogenous IL-12B p40 |
| Immunogen Type | protein |
| Immunogen Description | Synthetic peptide from human protein at AA range: 241-290 |
| Target Name | IL-12B p40 |
| Other Names | Interleukin-12 subunit beta (IL-12B) (Cytotoxic lymphocyte maturation factor 40 kDa subunit) (CLMF p40) |
| | (IL-12 subunit p40) (NK cell stimulatory factor chain 2) (NKSF2) |
| Accession No. | Swiss-Prot:P29460NCBI Gene ID:3593 |
| Calculated MW | 40 kDa |
| Concentration | 1 mg/ml |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Storage | Store at -20°C |


Application Details

Western blotting: 1B£B1500-1B£B12000 Immunohistochemistry: IHC 1:50-300


Images



Western blot analysis of mouse-kidney lysate, antibody was diluted at 1000. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-colon, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-colon, antibody was diluted at 1:200

Note: This product is for in vitro research use only and is not intended for use in humans or animals.