ACE2 Antibody

Catalog No: #24221




Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$		4.0	
	escri	nt	n.
\boldsymbol{L}	COUL	υu	ULL

Product Name	ACE2 Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Affinity chromatography purified via peptide column	
Applications	ELISA WB IHC	
Species Reactivity	Hu	
Specificity	Anti-ACE2 has no cross response to ACE1.	
Immunogen Type	Peptide	
Immunogen Description	Raised against a synthetic peptide corresponding to amino acids near the center of human ACE2.	
Target Name	ACE2	
Accession No.	NP_068576	
Concentration	1mg/ml	
Formulation	Supplied in PBS containing 0.02% sodium azide.	
Storage	Can be stored at -20°C, stable for one year. As with all antibodies care should be taken to avoid repeated	
	freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.	

Images



Western blot analysis of ACE2 in human kidney lysate with ACE2 antibody (IN2) at 2 ${\rm ug/mL.}$



Immunohistochemistry of ACE2 in human kidney tissue with ACE2 antibody at 2 $\mbox{ug/mL}$.

Background

Angiotensin-converting enzyme 2 (ACE2) plays a central role in vascular, renal, and myocardial physiology. In contrast to its homolog ACE, ACE2 expression is restricted to heart, kidney, and testis. Recently. ACE2 has also been shown to be a functional receptor of the SARS coronavirus. The normal function of ACE2 is to convert the inactive vasoconstrictor angiotensin I (AngI) to AngI-9 and the active form AngII to AngI-7, unlike ACE, which converts AngI to AngII. While the role of these vasoactive peptides is not well understood, lack of ACE2 expression in ace2-/ace2- mice leads to severely reduced cardiac contractility, indicating its importance in regulating heart function.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.