PKM2 (phospho-Ser97) Antibody

Catalog No: #SAB606

Package Size: #SAB606-1 50ul #SAB606-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| D | esc | rip | otic | r |
|---|-----|-----|------|---|
| | | | | |

| Product Name | PKM2 (phospho-Ser97) Antibody | |
|-----------------------|---|--|
| Host Species | Rabbit | |
| Clonality | Polyclonal | |
| Purification | The antibody was purified from rabbit serum by affinity purification via sequential chromatography on | |
| | phospho-peptide and non-phospho-peptide affinity columns. | |
| Applications | WB | |
| Species Reactivity | Human, Mouse | |
| Specificity | PKM2(phospho-Ser97) Antibody detects endogenous levels of PKM2 only | |
| | when phosphorylated at Ser97. | |
| Immunogen Description | A synthesized peptide derived from human PKM2 around the phosphorylation site of S97. | |
| Other Names | OIP3, PK2, PK3, PKM2 | |
| SDS-PAGE MW | 58kDa | |
| Concentration | 1 mg/ml | |
| Formulation | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM | |
| | NaCl,0.02% sodium azide and 50% glycerol. | |
| Storage | Store at20°C/1 year | |

Application Details

Western Blot: 1/500 - 1/2000

Background

Glycolytic enzyme that catalyzes the transfer of a phosphoryl group from phosphoenolpyruvate (PEP) to ADP, generating ATP (PubMed:15996096, PubMed:1854723). The ratio between the highly active tetrameric form and nearly inactive dimeric form determines whether glucose carbons are channeled to biosynthetic processes or used for glycolytic ATP production (PubMed:15996096, PubMed:1854723).

Note: This product is for in vitro research use only and is not intended for use in humans or animals.