### Yes1 Rabbit mAb

Catalog No: #52662

Package Size: #52662-1 50ul #52662-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


# Description

Product Name	Yes1 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal antibody
Clone No.	S07-8B3
Isotype	Rabbit IgG
Purification	Affinity Purified
Applications	WB
Species Reactivity	Human
Immunogen Description	A synthetic peptide of human Yes1
Conjugates	Unconjugated
Modification	Unmodification
Other Names	Yes; c-yes; HsT441; P61-YES
Accession No.	Swiss-Prot:P07947GeneID:7525
Calculated MW	Calculated MW: 61 kDa; Observed MW: 61 kDa
Formulation	50nM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

### **Application Details**

WB: 1/1000-1/5000;

# **Images**



Western blot detection of Yes1 in K562 cell lysates using Yes1 Rabbit mAb(1:1000 diluted).Predicted band size:61kDa.Observed band size:61kDa.

### Background

Swiss-Prot Acc.P07947.Non-receptor protein tyrosine kinase that is involved in the regulation of cell growth and survival, apoptosis, cell-cell adhesion, cytoskeleton remodeling, and differentiation. Stimulation by receptor tyrosine kinases (RTKs) including EGRF, PDGFR, CSF1R and FGFR leads to recruitment of YES1 to the phosphorylated receptor, and activation and phosphorylation of downstream substrates. Upon EGFR activation, promotes

the phosphorylation of PARD3 to favor epithelial tight junction assembly. Participates in the phosphorylation of specific junctional components such as CTNND1 by stimulating the FYN and FER tyrosine kinases at cell-cell contacts. Upon T-cell stimulation by CXCL12, phosphorylates collapsin response mediator protein 2/DPYSL2 and induces T-cell migration. Participates in CD95L/FASLG signaling pathway and mediates AKT-mediated cell migration. Plays a role in cell cycle progression by phosphorylating the cyclin-dependent kinase 4/CDK4 thus regulating the G1 phase. Also involved in G2/M progression and cytokinesis.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.