IL-32 Antibody

Catalog No: #24392




Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$		4.0
1	Decri	ption
\boldsymbol{L}	COUL	บแบบ

Product Name	IL-32 Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Affinity chromatography purified via peptide column	
Applications	ELISA WB IHC	
Species Reactivity	Hu Ms	
Specificity	This antibody detects all isoforms of IL-32.	
Immunogen Type	Peptide	
Immunogen Description	Raised against a 15 amino acid peptide from near the carboxy terminus of human IL-32.	
Target Name	IL-32	
Other Names	Interelukin 32	
Accession No.	AAH09401	
Concentration	1mg/ml	
Formulation	Supplied in PBS containing 0.02% sodium azide.	
Storage	Can be stored at -20°C, stable for one year. As with all antibodies care should be taken to avoid repeated	
	freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.	

Images



Western blot analysis of IL-32 in human spleen cell lysate with IL-32 antibody at (A) 5 and (B) 10 ug/mL shows two isoforms of IL-32.



Immunohistochemistry of IL-32 in human spleen tissue with IL-32 antibody at 10 ug/mL.

Background

Interleukin-32 (IL-32) was initially identified as a transcript (NK4) that is selectively expressed in lymphocytes and NK cells and whose expression is increased following activation by IL-2. It was later re-isolated from an IL-18-treated lung carcinoma cell line and re-named IL-32. IL-32 is unusual in that it does not share sequence homology with known cytokine families and is highly expressed in immune tissues, existing in at least four differentially spliced isoforms. Because treatment of human monocytic and mouse macrophage cells with IL-32 induces several proinflammatory cytokines such as TNF-α, IL-8 and MIP-2, and because it is also induced in human peripheral lymphocyte cells after mitogen stimulation and in epithelial cells by IFNγ, it has been suggested that IL-32 may play a role in autoimmune and inflammatory diseases such as rheumatoid arthritis.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.