MEK1 (Phospho-Thr292) Rabbit mAb

Catalog No: #14213

Package Size: #14213-1 50ul #14213-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$		4.5	
	escri	ntı	nn
$\boldsymbol{\nu}$	COUL	Μui	ווט

Product Name	MEK1 (Phospho-Thr292) Rabbit mAb	
Host Species	Rabbit	
Clonality	Monoclonal	
Isotype	Rabbit IgG	
Purification	Affinity-chromatography	
Applications	WB	
Species Reactivity	Human	
Specificity	Phospho-MEK1 (T292) Antibody detects endogenous levels of Phospho-MEK1 (T292)	
Immunogen Description	A synthesized peptide derived from human MEK1	
Other Names	Dual specificity mitogen-activated protein kinase kinase 1; MAP kinase kinase 1; MAPKK 1; MKK1; ERK	
	activator kinase 1; MAPK/ERK kinase 1; MEK 1; MAP2K1; MEK-1; PRKMK1;	
Accession No.	Uniprot:Q02750	
Calculated MW	45kDa	
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.	

Application Details

WB:1:500~1:1000

Images



Western blot analysis of MEK5 expression in (1) HeLa cell lysate; (2) HeLa cell treated with Nocodazole.

Product Description

MEK1 and MEK2, also called MAPK or Erk kinases, are dual-specificity protein kinases that function in a mitogen activated protein kinase cascade controlling cell growth and differentiation. Activation of MEK1 and MEK2 occurs through phosphorylation of two serine residues at positions 217 and 221, located in the activation loop of subdomain VIII, by Raf-like molecules. Catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in a Thr-Glu-Tyr sequence located in MAP kinases. Activates ERK1 and ERK2 MAP kinases.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.			