STAT1 (Phospho-Tyr701) Rabbit mAb

Catalog No: #14223

Package Size: #14223-1 50ul #14223-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


_				
	esc	rin	tic	۱'n
\boldsymbol{L}	てつし	JIII L	uιc	ЛΙ

Product Name	STAT1 (Phospho-Tyr701) Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB
Species Reactivity	Human
Specificity	Phospho-STAT1 (Y701) Antibody detects endogenous levels of Phospho-STAT1 (Y701)
Immunogen Description	A synthesized peptide derived from human STAT1
Other Names	CANDF7; ISGF 3; Signal transducer and activator of transcription 1; Stat1; STAT91; Transcription factor
	ISGF-3 components p91/p84;
Accession No.	Uniprot:P42224
Calculated MW	87kDa
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Application Details

WB:1:1000~1:2000

Images



Western blot analysis of Phospho-STAT1 (Y701) expression in (1) A431 cell lysate; (2) A431 lysate cell treated with EGF.

Product Description

The Stat1 transcription factor is activated in response to a large number of ligands and is essential for responsiveness to IFN- α and IFN- γ . Stat1 protein exists as a pair of isoforms, Stat1 α (91 kDa) and the splice variant Stat1 β (84 kDa). In most cells, both isoforms are activated by IFN- α , but only Stat1 α is activated by IFN- γ . The inappropriate activation of Stat1 occurs in many tumors.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.				