TRAF4 Conjugated Antibody

Catalog No: #C56042



 Package Size:
 #C56042-AF350 100ul
 #C56042-AF405 100ul
 #C56042-AF488 100ul
 #C56042-AF555 100ul def @ Signalwayantibody.com

 #C56042-AF647 100ul
 #C56042-AF680 100ul
 #C56042-AF750 100ul
 #C56042-Biotin 100ul #C56042-Conjugated Soul

Description

| Product Name | TRAF4 Conjugated Antibody |
|-----------------------|--|
| Host Species | Rabbit |
| Clonality | Monoclonal |
| Isotype | Rabbit IgG |
| Purification | Affinity-chromatography |
| Applications | WB, IF, FC |
| Species Reactivity | Human Mouse |
| Specificity | TRAF4 Antibody detects endogenous levels of total TRAF4 |
| Immunogen Description | A synthesized peptide derived from human TRAF4 |
| Conjugates | Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750 |
| Other Names | MLN 62; RING finger protein 83; TRAF4; CART1; MLN62; RNF83 |
| Accession No. | Uniprot:Q9BUZ4 |
| Calculated MW | 54kDa |
| Storage | Store at 4°C in dark for 6 months |

Application Details WB: 1:50-1:200 IF:1:50-1:200 FC: 1:50-1:200

Product Description

The tumor necrosis factor (TNF) receptor superfamily is composed of several type I integral membrane glycoproteins that exhibit homology in their cystinerich extracellular domains. Members of this family include TNF-RI, TNF-RII and CD40. Ligands for these receptors can be small, secreted proteins, such as TNF, or type II integral membrane proteins, as is the case for the CD40 ligand, CD40L. While the signal transduction mechanism of the TNF receptor superfamily is poorly understood, activation of TNF-R or CD40 have been shown to induce the nuclear translocation of NFKB.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.