

Recombinant Rat Interleukin-33

Catalog No: #AP60240


Package Size: #AP60240-1 10ug #AP60240-2 100ug #AP60240-3 500ug

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	Recombinant Rat Interleukin-33
Host Species	Escherichia coli.
Purification	> 95 % by SDS-PAGE and HPLC analyses.
Other Names	IL-33
Calculated MW	Approximately 17.4 kDa, a single non-glycosylated polypeptide chain containing 156 amino acids.
Target Sequence	SIQGTSLLTE SCALSTYNDQ SVSFLVLENGC YVINVEDCGK NQEKDKVLLR YYESSFPAQS GDGVDGKKLM VNMSPKDTD IWLNANDKDY SVELQKGDVS PPDQAFFVLH KKSSDFVSFE CKNLPGTYIG VKDNQLALVE ENDESCNNIM FKLSKM
Formulation	Lyophilized from a 0.2 µm filtered concentrated solution in 20 mM Tris, 300 mM NaCl, pH 8.5.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. <ul style="list-style-type: none"> -□ A minimum of 12 months from date of receipt, when stored at &le;-20 °C as supplied. -□ 1 month, 2 to 8 °C under sterile conditions after reconstitution. -□ 3 months, -20 to -70 °C under sterile conditions after reconstitution.

Images



Background

Interleukin-33 (IL-33), also known as NF-HEV and DVS 27, is a cytokine belonging to the IL-1 superfamily. It is also a proinflammatory protein that may regulate gene transcription and it induces helper T cells, mast cells, eosinophils and basophils to produce type 2 cytokines. The induction of type 2 cytokines by IL-33 in vivo is believed to induce the severe pathological changes observed in mucosal organs following administration of IL-33. IL-33 is constitutively expressed in smooth muscle and airway epithelia and it binds to a high-affinity receptor family member ST2. In vivo administration of mature IL-33 promotes increased production of IL-5, IL-13, IgE, and IgA, as well as splenomegaly and inflammatory infiltration of mucosal tissues. Recombinant rat IL-3 contains 156 amino acid residues and it shares 59 % a.a. and 90 % sequence identity with human and murine IL-33.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.