# Myosin Light Chain 2 (Ab-19) Antibody

Catalog No: #21157

Package Size: #21157-1 50ul #21157-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

| Product Name          | Myosin Light Chain 2 (Ab-19) Antibody   |
|-----------------------|---|
| Host Species          | Rabbit  |
| Clonality             | Polyclonal  |
| Purification          | Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were |
|                       | purified by affinity-chromatography using epitope-specific peptide.                                       |
| Applications          | WB IF   |
| Species Reactivity    | Hu Ms Rt  |
| Specificity           | The antibody detects endogenous level of total Myosin Light Chain 2 protein.                              |
| Immunogen Type        | Peptide-KLH   |
| Immunogen Description | Peptide sequence around aa.17~21 (A-T-S-N-V) derived from Human Myosin Light Chain 2.                     |
| Target Name           | MLC2  |
| Other Names           | LC20, MLC2, MRLC1, MYRL2, MLC-2C  |
| Accession No.         | Swiss-Prot: P24844NCBI Protein: NP_006088.2   |
| SDS-PAGE MW           | 18kd  |
| Concentration         | 1.0mg/ml  |
| Formulation           | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%      |
|                       | sodium azide and 50% glycerol.  |
| Storage               | Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.                 |
|                       |   |


## Application Details

Predicted MW: 18kd


Western blotting: 1:500~1:1000

Immunofluorescence: 1:100~1:200

### Images



Immunofluorescence staining of methanol-fixed Hela cells using Myosin Light Chain 2(Ab-19) Antibody #21157.



Western blot analysis of extracts from 293 and 3T3 cells using Myosin Light Chain 2 (Ab-19) Antibody #21157.

### Background

Myosin regulatory subunit that plays an important role in regulation of both smooth muscle and nonmuscle cell contractile activity via its phosphorylation. Implicated in cytokinesis, receptor capping, and cell locomotion Janiak A, et al. (2006) Mol Biol Cell. Apr; 17(4): 1606-1619. Croft DR, et al. (2006) Mol Cell Biol. 2 Jun; 26(12): 4612-4627 Li Z, et al. (2006) Mol Cell Biol. Jun; 26(11): 4240-4256

#### **Published Papers**

el at., Tetramethylpyrazine Suppresses the Enhanced Ca2+ Sensitivity through Inhibiting the Expression of RhoA-ROCK in Artery of Simulated Weightlessness Rats., (2022)

PMID:

Note: This product is for in vitro research use only and is not intended for use in humans or animals.