

Casein Kinase I α (phospho-Tyr294) Polyclonal Antibody

Catalog No: #14019

Package Size: #14019-1 50ul #14019-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	Casein Kinase I α (phospho-Tyr294) Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Applications	WB;IHC;IF;ELISA
Species Reactivity	Human;Mouse;Rat
Specificity	Phospho-Casein Kinase I α (Y294) Polyclonal Antibody detects endogenous levels of Casein Kinase I α protein only when phosphorylated at Y294.
Immunogen Description	The antiserum was produced against synthesized peptide derived from human CK-1 α around the phosphorylation site of Tyr294. AA range:260-309
Conjugates	Unconjugated
Target Name	CSNK1A1
Other Names	CSNK1A1; Casein kinase I isoform α ; CKI- α ; CK1; CSNK1A1L; Casein kinase I isoform α -like; CKI- α -like; CK1
Accession No.	Swiss Prot:P48729/Q8N752GeneID:1452/122011
SDS-PAGE MW	37
Concentration	1 mg/ml
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage	-20°C/1

Application Details

WB 1:500-1:2000; IHC 1:100-1:300; ELISA 1:10000; IF 1:50-200

Background

CSNK1A1 (Casein Kinase 1 Alpha 1) is a Protein Coding gene. Among its related pathways are Signaling by GPCR and Infectious disease. GO annotations related to this gene include transferase activity, transferring phosphorus-containing groups and protein tyrosine kinase activity. An important paralog of this gene is CSNK1G2. Casein kinases are operationally defined by their preferential utilization of acidic proteins such as caseins as substrates. It can phosphorylate a large number of proteins. Participates in Wnt signaling. Phosphorylates CTNNB1 at Ser-45. May phosphorylate PER1 and PER2. May play a role in segregating chromosomes during mitosis (PubMed: 11955436, PubMed: 1409656, PubMed: 18305108). May play a role in keratin cytoskeleton disassembly and thereby, it may regulate epithelial cell migration (PubMed: 23902688). Casein kinase I (CK1) is a monomeric serine-threonine protein kinase with 7 isoforms: α , β , γ 1, γ 2, γ 3, δ and ϵ . CK1 is involved in many cellular processes including DNA repair, cell division, nuclear localization and membrane transport. Isoforms are also integral to development.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.