

TRAF6 Rabbit mAb

Catalog No: #52627



Package Size: #52627-1 50ul #52627-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com


Description

Product Name	TRAF6 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal antibody
Clone No.	S09-3F4
Isotype	Rabbit IgG
Purification	Affinity Purified
Applications	WB
Species Reactivity	Human;Mouse;Rat
Immunogen Description	A synthetic peptide of human TRAF6
Conjugates	Unconjugated
Modification	Unmodification
Other Names	RNF85; MGC:3310
Accession No.	Swiss-Prot:Q9Y4K3GeneID:7189
Calculated MW	Calculated MW: 60 kDa; Observed MW: 60 kDa
Formulation	50nM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Application Details

WB: 1/1000-1/5000;

Images



Western blot detection of TRAF6 in 293 cell lysates using TRAF6 Rabbit mAb(1:1000 diluted). Predicted band size:60KDa. Observed band size:60KDa.

Background

Swiss-Prot Acc.Q9Y4K3.E3 ubiquitin ligase that, together with UBE2N and UBE2V1, mediates the synthesis of Lys-63-linked-polyubiquitin chains conjugated to proteins, such as IKK β , IRAK1, AKT1 and AKT2. Also mediates ubiquitination of free/unanchored polyubiquitin chain that leads to MAP3K7 activation. Leads to the activation of NF- κ B and JUN. May be essential for the formation of functional osteoclasts. Seems to also

play a role in dendritic cells (DCs) maturation and/or activation. Represses c-Myb-mediated transactivation, in B-lymphocytes. Adapter protein that seems to play a role in signal transduction initiated via TNF receptor, IL-1 receptor and IL-17 receptor. Regulates osteoclast differentiation by mediating the activation of adapter protein complex 1 (AP-1) and NF-kappa-B, in response to RANK-L stimulation. Together with MAP3K8, mediates CD40 signals that activate ERK in B-cells and macrophages, and thus may play a role in the regulation of immunoglobulin production.

Published Papers

Yuwen Liu;Jiping Liu;Naping Hu;Zhengrong Li;Anqi Liu;Ruyue Luo;Siyu Du;Dongyan Guo;Jiankang Li;Jialin Duan et al., Classical prescription Daqinjiao decoction inhibit cerebral ischemia/reperfusion induced necroptosis and ferroptosis through multiple mechanisms., , (2025)

[PMID:39736347](#)

Note: This product is for in vitro research use only and is not intended for use in humans or animals.